



**Multi-Country Western Pacific
Integrated HIV/TB Programme**

**Key Performance Indicators
2022**

Executive Summary

The Multi-Country Western Pacific Integrated HIV/TB Programme, supported by the Global Fund, continued to face challenges throughout 2022, primarily as a result of the ongoing COVID-19 pandemic. Pacific island countries endured lockdowns, travel restrictions and closed borders, hindering the ability of the principal recipient, the United Nations Development Programme (UNDP), and sub-recipients to optimally implement the programme.

While borders that were closed due to COVID-19 re-opened in most countries by September 2022, this caused delays for many activities and created difficulties in reaching marginalized and vulnerable populations with vital prevention, care and support services for both human immunodeficiency virus (HIV) and tuberculosis (TB).

The region is also one of the most prone to natural disasters. Vanuatu, Fiji, Tonga and Kiribati are all among the top 15 countries for disaster risk globally. Frequent cyclones, earthquakes and other natural disasters weaken and drain government resources.

Yet despite these challenges, through close collaboration with partners and sub-recipients – including civil society organizations and ministries of health – and the adoption of innovative approaches, the programme succeeded in achieving 93 percent of its overall HIV and TB key performance indicator targets across the 11 countries (Cook Islands, Federated State of Micronesia, Kiribati, Nauru, Niue, Palau, Republic of Marshall Islands, Samoa, Tonga, Tuvalu and Vanuatu).

As with previous years during the COVID-19 pandemic, many activities shifted to being conducted remotely, including most programmatic monitoring by UNDP. In some cases, activities have been rescheduled to 2023 when expectations are that implementation can proceed unhindered.

UNDP and sub-recipients worked closely together to ensure that programme targets were achieved, through innovative methods to reach beneficiaries such as conducting outreach in a one-to-one format rather than in larger groups.

Despite the challenges, the programme made significant achievements in 2022, including procuring Fuji Xair digital X-ray machines with CAD software for six countries, which will increase TB case detection during mobile clinics and mass screening. It also procured 10-colour GeneXpert machines for Kiribati and the Republic of the Marshall Islands, allowing in-country drug-resistant TB diagnosis and mitigating the impact of COVID-19 on extended drug susceptibility testing in regular programming.

The programme conducted a comprehensive assessment of the size and locations of key populations in the 11 programme countries, which will strengthen and improve access to HIV/TB and sexual and reproductive health services for these populations.

A guidance document on key populations definitions and service delivery packages was reviewed and updated during 2022, which aims to support countries improve access to HIV and sexually transmitted infections (STIs) services through key populations and community-based interventions.

In addition, the programme supported development of national strategic plans on HIV and STIs for Nauru, Palau, Samoa, and Vanuatu. The plans are helping the countries to accelerate progress towards ensuring adequate protection, care and support for vulnerable groups, to reflect the strategic direction affirmed in the 2016 UN Political Declaration on HIV/AIDS, and to achieve the Sustainable Development Goals.

To ensure that TB services are not compromised, UNDP in partnership with the World Health Organization signed a UN-to-UN Agreement specifically to improve TB services and care. Multiple trainings, webinars and ongoing mentoring for health care workers are being organized as part of the agreement.

Another achievement was the organizing of a regional workshop in September 2022 to improve the quality of and access to health services related to TB, TB-diabetes, HIV/STIs and hepatitis. The workshop succeeded in building capacity, enhancing understanding and awareness, and overcoming challenges towards supporting countries to achieve the WHO END TB Strategy and global HIV targets for 2025 and 2030. Participants included health workers, representatives from civil society organizations, technical partners and officials from Ministries of Health from across the region. The meeting was divided into five overlapping sessions, focusing on TB management and care; TB and diabetes diagnosis, treatment and management; HIV/STI case management; TB laboratory system strengthening; and procurement and supply chain management.

The programme fell short of the annual multidrug-resistant TB case notification target. This can largely be attributed to the impacts of COVID-19 and overstretched health systems, which diverted health care priorities and workers away from national TB programmes to the COVID-19 response.

As the programme moves into its third and final year of implementation in the Global Fund's New Funding Model grant cycle (2021-2023), it is increasingly evident that a strong UNDP-Global Fund partnership is essential for an equitable and inclusive response to HIV and TB in the Western Pacific region.



Gayane Tovmasyan

Regional Programme Manager, Multi-Country Western Pacific Programme
UNDP Pacific Office in Fiji

Regional

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV	0%	1 / 1511 = 0%	120%
Percentage of transgender people who are living with HIV	0%	1 / 2279 = 0%	120%
Percentage of sex workers who are living with HIV	0%	0 / 1553 = 0%	0%
TB mortality rate per 100,000 population	10	52 / 949019 = 5	55%
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	1%	3 / 390 = 1%	77%
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed	91%	37 / 66 = 56%	62%
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	35%	939 / 1466 = 64%	120%
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner	77%	1929 / 2304 = 84%	109%
Percentage of sex workers reporting the use of a condom with their most recent client	50%	994 / 1563 = 64%	120%
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	100%	5 / 7 = 71%	71%
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	92%	653 / 1041 = 63%	68%
Coverage			
Percentage of men who have sex with men reached with HIV prevention programs - defined package of services	17%	1568 / 9284 = 17%	100%
Percentage of men who have sex with men that have received an HIV test during the reporting period and know their results	13%	1511 / 9284 = 16%	120%
Percentage of transgender people reached with HIV prevention programs - defined package of services	12%	2394 / 18569 = 13%	111%
Percentage of transgender people that have received an HIV test during the reporting period and know their results	11%	2279 / 18569 = 12%	113%
Percentage of sex workers reached with HIV prevention programs - defined package of services	38%	1585 / 3904 = 41%	106%
Percentage of sex workers that have received an HIV test during the reporting period and know their results	36%	1553 / 3904 = 40%	109%
Percentage of people living with HIV currently receiving antiretroviral therapy	88%	66 / 69 = 96%	108%
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	927	649	70%
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	92%	566 / 655 = 86%	94%
Number of RR-TB and/or MDR-TB that began second line treatment	10	3	30%
Number of TB cases with RR-TB and/or MDR-TB notified	10	3	30%
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)	115	357	120%

Cook Islands

Ministry of Health

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV	0%	0 / 103 = 0%	
Percentage of transgender people who are living with HIV	0%	0 / 225 = 0%	
Percentage of sex workers who are living with HIV	0%	0 / 15 = 0%	
TB mortality rate per 100,000 population	0	0 / 15415 = 0%	
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	0%	0 / 0	
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed	91%	0 / 1 = 0%	0%
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	77%	30 / 45 = 67%	87%
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner	77%	48 / 137 = 35%	46%
Percentage of sex workers reporting the use of a condom with their most recent client	73%	2 / 15 = 13%	18%
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	100%	0 / 0	
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	92%	0 / 2 = 0%	0%
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services	58	103	120%
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	54	103	120%
Number of transgender people reached with HIV prevention programs - defined package of services	97	225	120%
Number of transgender people that have received an HIV test during the reporting period and know their results	91	225	120%
Number of sex workers reached with HIV prevention programs - defined package of services	29	15	52%
Number of sex workers that have received an HIV test during the reporting period and know their results	27	15	56%
Percentage of people living with HIV currently receiving antiretroviral therapy	100%	1 / 1 = 100%	100%
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	0	0	0%
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	92%	0 / 0 = N/A	
Number of TB cases with RR-TB and/or MDR-TB notified	0	0	0%
Number of RR-TB and/or MDR-TB that began second line treatment	0	0	0%
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)			

Federated States of Micronesia

Department of Health and Social Affairs

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV			
Percentage of transgender people who are living with HIV			
Percentage of sex workers who are living with HIV			
TB mortality rate per 100,000 population	8	3 / 105982 = 3	35%
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	0%	0 / 24 = 0%	
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed	91%	1 / 12 = 8%	9%
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner			
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner			
Percentage of sex workers reporting the use of a condom with their most recent client			
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	100%	0 / 0	
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	92%	72 / 90 = 80%	87%
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services			
Number of men who have sex with men that have received an HIV test during the reporting period and know their results			
Number of transgender people reached with HIV prevention programs - defined package of services			
Number of transgender people that have received an HIV test during the reporting period and know their results			
Number of sex workers reached with HIV prevention programs - defined package of services			
Number of sex workers that have received an HIV test during the reporting period and know their results			
Percentage of people living with HIV currently receiving antiretroviral therapy	88%	12 / 15 = 80%	91%
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	96	48	50%
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	95%	66 / 72 = 92%	96%
Number of TB cases with RR-TB and/or MDR-TB notified	1	0	0%
Number of RR-TB and/or MDR-TB that began second line treatment	1	0	0%
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)	0	35	

Federated States of Micronesia

Chuuk Women's Council

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV	0%	0 / 127 = 0%	
Percentage of transgender people who are living with HIV	0%	0 / 107 = 0%	
Percentage of sex workers who are living with HIV	0%	0 / 123 = 0%	
TB mortality rate per 100,000 population			
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB			
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed			
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	45%	88 / 100 = 88%	120%
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner	77%	60 / 107 = 56%	73%
Percentage of sex workers reporting the use of a condom with their most recent client	50%	74 / 104 = 71%	120%
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated			
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)			
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services	73	127	120%
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	57	127	120%
Number of transgender people reached with HIV prevention programs - defined package of services	112	107	96%
Number of transgender people that have received an HIV test during the reporting period and know their results	104	107	103%
Number of sex workers reached with HIV prevention programs - defined package of services	88	123	120%
Number of sex workers that have received an HIV test during the reporting period and know their results	62	123	120%
Percentage of people living with HIV currently receiving antiretroviral therapy			
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases			
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases			
Number of TB cases with RR-TB and/or MDR-TB notified			
Number of RR-TB and/or MDR-TB that began second line treatment			
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)			

Kiribati

Ministry of Health and Medical Services

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV	0%	1 / 403 = 0%	
Percentage of transgender people who are living with HIV	0%	1 / 153 = 1%	
Percentage of sex workers who are living with HIV	0%	0 / 652 = 0%	
TB mortality rate per 100,000 population	16	28 / 122745 = 23	120%
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	1%	1 / 240 = 0%	42%
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed	91%	7 / 8 = 88%	96%
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	35%	53 / 403 = 13%	38%
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner	77%	89 / 153 = 58%	76%
Percentage of sex workers reporting the use of a condom with their most recent client	58%	311 / 652 = 48%	82%
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	100%	4 / 6 = 67%	67%
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	92%	330 / 550 = 60%	65%
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services	249	403	120%
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	197	403	120%
Number of transgender people reached with HIV prevention programs - defined package of services	136	153	113%
Number of transgender people that have received an HIV test during the reporting period and know their results	136	153	113%
Number of sex workers reached with HIV prevention programs - defined package of services	654	652	100%
Number of sex workers that have received an HIV test during the reporting period and know their results	652	652	100%
Percentage of people living with HIV currently receiving antiretroviral therapy	100%	8 / 8 = 100%	100%
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	426	360	85%
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	94%	288 / 330 = 87%	93%
Number of TB cases with RR-TB and/or MDR-TB notified	4	1	25%
Number of RR-TB and/or MDR-TB that began second line treatment	4	1	25%
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)		256	

Nauru

Ministry of Health

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV	0%	0 / 4 = 0%	
Percentage of transgender people who are living with HIV	0%	0 / 0	
Percentage of sex workers who are living with HIV	0%	0 / 0	
TB mortality rate per 100,000 population	5.3	3 / 11932 = 25	120%
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	0%	0 / 19 = 0%	
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed	91%	2 / 2 = 100%	110%
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	0%	0 / 1 = 0%	
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner	0%	0 / 0	
Percentage of sex workers reporting the use of a condom with their most recent client	0%	0 / 0	
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	100%	0 / 0	
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	92%	21 / 24 = 88%	95%
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services	0	4	
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	0	4	
Number of transgender people reached with HIV prevention programs - defined package of services	0	0	
Number of transgender people that have received an HIV test during the reporting period and know their results	0	0	
Number of sex workers reached with HIV prevention programs - defined package of services	0	0	
Number of sex workers that have received an HIV test during the reporting period and know their results	0	0	
Percentage of people living with HIV currently receiving antiretroviral therapy	88%	2 / 2 = 100%	114%
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	12	19	120%
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	92%	18 / 21 = 86%	93%
Number of TB cases with RR-TB and/or MDR-TB notified	0	0	
Number of RR-TB and/or MDR-TB that began second line treatment	0	0	
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)		6	

Niue

Ministry of Health

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV		0 / 0	
Percentage of transgender people who are living with HIV		0 / 0	
Percentage of sex workers who are living with HIV			
TB mortality rate per 100,000 population	2	0 / 1527 = 0	0%
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	0%	0 / 0	
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed	91%	0 / 0	
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner			
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner			
Percentage of sex workers reporting the use of a condom with their most recent client			
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	100%	0 / 0	
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	92%	0 / 0	
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services		0	
Number of men who have sex with men that have received an HIV test during the reporting period and know their results		0	
Number of transgender people reached with HIV prevention programs - defined package of services		0	
Number of transgender people that have received an HIV test during the reporting period and know their results		0	
Number of sex workers reached with HIV prevention programs - defined package of services		0	
Number of sex workers that have received an HIV test during the reporting period and know their results		0	
Percentage of people living with HIV currently receiving antiretroviral therapy	88%	0 / 0	
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	0	0	
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	92%	0 / 0	
Number of TB cases with RR-TB and/or MDR-TB notified	0	0	
Number of RR-TB and/or MDR-TB that began second line treatment	0	0	
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)		0	

Palau

Ministry of Health

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV	0%	1 / 17 = 6%	120%
Percentage of transgender people who are living with HIV	0%	1 / 7 = 14%	120%
Percentage of sex workers who are living with HIV	0%	0 / 3 = 0%	0%
TB mortality rate per 100,000 population	4	0 / 17975 = 0	0%
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	0%	0 / 7 = 0%	0%
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed	91%	6 / 8 = 75%	82%
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	40%	1 / 14 = 7%	18%
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner	40%	1 / 7 = 14%	36%
Percentage of sex workers reporting the use of a condom with their most recent client	54%	5 / 8 = 63%	116%
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	100%	0 / 0	
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	92%	8 / 9 = 89%	97%
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services	13	17	120%
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	11	17	120%
Number of transgender people reached with HIV prevention programs - defined package of services	11	7	64%
Number of transgender people that have received an HIV test during the reporting period and know their results	10	7	70%
Number of sex workers reached with HIV prevention programs - defined package of services	17	8	47%
Number of sex workers that have received an HIV test during the reporting period and know their results	16	3	19%
Percentage of people living with HIV currently receiving antiretroviral therapy	88%	8 / 8 = 100%	114%
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	8	7	88%
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	92%	8 / 8 = 100%	109%
Number of TB cases with RR-TB and/or MDR-TB notified	0	0	0%
Number of RR-TB and/or MDR-TB that began second line treatment	0	0	0%
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)		3	

Republic of the Marshall Islands

Ministry of Health

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV	0%	0 / 29 = 0%	
Percentage of transgender people who are living with HIV	0%	0 / 46 = 0%	
Percentage of sex workers who are living with HIV	0%	0 / 60 = 0%	
TB mortality rate per 100,000 population	26	7 / 54443 = 13	49%
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	0%	2 / 26 = 8%	
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed	91%	4 / 7 = 57%	63%
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	92%	26 / 29 = 90%	97%
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner	85%	43 / 46 = 93%	110%
Percentage of sex workers reporting the use of a condom with their most recent client	77%	56 / 60 = 93%	120%
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	100%	0 / 0	
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	92%	116 / 200 = 58%	63%
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services	41	29	71%
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	39	29	74%
Number of transgender people reached with HIV prevention programs - defined package of services	45	46	102%
Number of transgender people that have received an HIV test during the reporting period and know their results	43	46	107%
Number of sex workers reached with HIV prevention programs - defined package of services	46	60	120%
Number of sex workers that have received an HIV test during the reporting period and know their results	45	60	120%
Percentage of people living with HIV currently receiving antiretroviral therapy	100%	7 / 7 = 100%	100%
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	230	105	46%
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	92%	101 / 116 = 87%	95%
Number of TB cases with RR-TB and/or MDR-TB notified	2	2	100%
Number of RR-TB and/or MDR-TB that began second line treatment	2	2	100%
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)		40	

Samoa

Ministry of Health

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV			
Percentage of transgender people who are living with HIV			
Percentage of sex workers who are living with HIV			
TB mortality rate per 100,000 population	0.57	2 / 200996 = 1	120%
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	0%	0 / 9 = 0%	0%
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed	91%	8 / 13 = 62%	68%
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner			
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner			
Percentage of sex workers reporting the use of a condom with their most recent client			
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	100%	0 / 0	
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	92%	13 / 15 = 87%	94%
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services			
Number of men who have sex with men that have received an HIV test during the reporting period and know their results			
Number of transgender people reached with HIV prevention programs - defined package of services			
Number of transgender people that have received an HIV test during the reporting period and know their results			
Number of sex workers reached with HIV prevention programs - defined package of services			
Number of sex workers that have received an HIV test during the reporting period and know their results			
Percentage of people living with HIV currently receiving antiretroviral therapy	100%	13 / 13 = 100%	100%
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	20	9	45%
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	92%	10 / 13 = 77%	84%
Number of TB cases with RR-TB and/or MDR-TB notified	0	0	0%
Number of RR-TB and/or MDR-TB that began second line treatment	0	0	0%
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)		13	

Samoa

Samoa Family Health Association

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV	0%	0 / 651 = 0%	
Percentage of transgender people who are living with HIV	0%	0 / 48 = 0%	
Percentage of sex workers who are living with HIV			
TB mortality rate per 100,000 population			
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB			
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed			
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	35%	593 / 640 = 93%	120%
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner		48 / 48 100%	
Percentage of sex workers reporting the use of a condom with their most recent client			
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated			
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)			
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services	895	651	73%
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	707	651	92%
Number of transgender people reached with HIV prevention programs - defined package of services		48	
Number of transgender people that have received an HIV test during the reporting period and know their results		48	
Number of sex workers reached with HIV prevention programs - defined package of services			
Number of sex workers that have received an HIV test during the reporting period and know their results			
Percentage of people living with HIV currently receiving antiretroviral therapy			
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases			
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases			
Number of TB cases with RR-TB and/or MDR-TB notified			
Number of RR-TB and/or MDR-TB that began second line treatment			
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)			

Samoa

Samoa Fa'afafine Association

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV			
Percentage of transgender people who are living with HIV	0%	0 / 1270 = 0%	
Percentage of sex workers who are living with HIV	0%	0 / 27 = 0%	
TB mortality rate per 100,000 population			
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB			
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed			
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner			
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner	89%	1256 / 1270 = 99%	111%
Percentage of sex workers reporting the use of a condom with their most recent client	50%	26 / 27 = 96%	120%
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated			
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)			
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services			
Number of men who have sex with men that have received an HIV test during the reporting period and know their results			
Number of transgender people reached with HIV prevention programs - defined package of services	1234	1270	103%
Number of transgender people that have received an HIV test during the reporting period and know their results	1148	1270	111%
Number of sex workers reached with HIV prevention programs - defined package of services	58	27	47%
Number of sex workers that have received an HIV test during the reporting period and know their results	55	27	49%
Percentage of people living with HIV currently receiving antiretroviral therapy			
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases			
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases			
Number of TB cases with RR-TB and/or MDR-TB notified			
Number of RR-TB and/or MDR-TB that began second line treatment			
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)			

Tonga

Ministry of Health

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV			
Percentage of transgender people who are living with HIV			
Percentage of sex workers who are living with HIV			
TB mortality rate per 100,000 population	0.69	0 / 99279 = 0	0%
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	0%	0 / 2 = 0%	0%
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed	91%	5 / 6 = 83%	92%
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner			
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner			
Percentage of sex workers reporting the use of a condom with their most recent client			
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	100%	0 / 0	
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	92%	7 / 8 = 88%	95%
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services			
Number of men who have sex with men that have received an HIV test during the reporting period and know their results			
Number of transgender people reached with HIV prevention programs - defined package of services			
Number of transgender people that have received an HIV test during the reporting period and know their results			
Number of sex workers reached with HIV prevention programs - defined package of services			
Number of sex workers that have received an HIV test during the reporting period and know their results			
Percentage of people living with HIV currently receiving antiretroviral therapy	88%	6 / 6 = 100%	114%
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	10	2	20%
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	92%	6 / 7 = 86%	93%
Number of TB cases with RR-TB and/or MDR-TB notified	0	0	0%
Number of RR-TB and/or MDR-TB that began second line treatment	0	0	0%
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)		0	

Tonga

Tonga Leitis' Association

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV	0%	0 / 70 = 0%	
Percentage of transgender people who are living with HIV	0%	0 / 227 = 0%	
Percentage of sex workers who are living with HIV	0%	0 / 3 = 0%	
TB mortality rate per 100,000 population			
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB			
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed	89%	86 / 86 = 100%	112%
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	89%	244 / 244 = 100%	112%
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner	0%	3 / 3 = 100%	
Percentage of sex workers reporting the use of a condom with their most recent client			
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated			
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)			
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services	86	86	100%
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	68	70	103%
Number of transgender people reached with HIV prevention programs - defined package of services	243	244	100%
Number of transgender people that have received an HIV test during the reporting period and know their results	226	227	100%
Number of sex workers reached with HIV prevention programs - defined package of services	0	3	
Number of sex workers that have received an HIV test during the reporting period and know their results	0	3	
Percentage of people living with HIV currently receiving antiretroviral therapy			
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases			
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases			
Number of TB cases with RR-TB and/or MDR-TB notified			
Number of RR-TB and/or MDR-TB that began second line treatment			
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)			

Tonga

Tonga Family Health Association

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV			
Percentage of transgender people who are living with HIV		0 / 0	
Percentage of sex workers who are living with HIV	0%	0 / 349 = 0%	
TB mortality rate per 100,000 population			
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB			
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed			
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner			
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner		0 / 0	
Percentage of sex workers reporting the use of a condom with their most recent client	70%	297 / 376 = 79%	113%
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated			
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)			
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services			
Number of men who have sex with men that have received an HIV test during the reporting period and know their results			
Number of transgender people reached with HIV prevention programs - defined package of services		0	
Number of transgender people that have received an HIV test during the reporting period and know their results		0	
Number of sex workers reached with HIV prevention programs - defined package of services	291	376	120%
Number of sex workers that have received an HIV test during the reporting period and know their results	277	349	120%
Percentage of people living with HIV currently receiving antiretroviral therapy			
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases			
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases			
Number of TB cases with RR-TB and/or MDR-TB notified			
Number of RR-TB and/or MDR-TB that began second line treatment			
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)			

Tuvalu

Ministry of Health

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV			
Percentage of transgender people who are living with HIV			
Percentage of sex workers who are living with HIV			
TB mortality rate per 100,000 population			
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB			
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed			
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner			
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner			
Percentage of sex workers reporting the use of a condom with their most recent client			
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated			
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)			
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services	12	0	0%
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	9	0	0%
Number of transgender people reached with HIV prevention programs - defined package of services	18	5	28%
Number of transgender people that have received an HIV test during the reporting period and know their results	17	5	29%
Number of sex workers reached with HIV prevention programs - defined package of services	17	7	41%
Number of sex workers that have received an HIV test during the reporting period and know their results	16	7	44%
Percentage of people living with HIV currently receiving antiretroviral therapy	88%	1 / 1 = 100%	114%
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	29	15	52%
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	93%	9 / 22 = 41%	44%
Number of TB cases with RR-TB and/or MDR-TB notified	0	0	0%
Number of RR-TB and/or MDR-TB that began second line treatment	0	0	0%
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)		1	

Vanuatu

Ministry of Health

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV			
Percentage of transgender people who are living with HIV			
Percentage of sex workers who are living with HIV			
TB mortality rate per 100,000 population	3.7	5 / 307945 = 2	44%
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	0%	0 / 54 = 0%	0%
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed	91%	3 / 8 = 38%	41%
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner			
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner			
Percentage of sex workers reporting the use of a condom with their most recent client			
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	100%	0 / 0	
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	92%	66 / 110 = 60%	65%
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services			
Number of men who have sex with men that have received an HIV test during the reporting period and know their results			
Number of transgender people reached with HIV prevention programs - defined package of services			
Number of transgender people that have received an HIV test during the reporting period and know their results			
Number of sex workers reached with HIV prevention programs - defined package of services			
Number of sex workers that have received an HIV test during the reporting period and know their results			
Percentage of people living with HIV currently receiving antiretroviral therapy	88%	8 / 8 = 100%	114%
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	97	84	87%
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	94%	60 / 66 = 91%	97%
Number of TB cases with RR-TB and/or MDR-TB notified	2	0	0%
Number of RR-TB and/or MDR-TB that began second line treatment	2	0	0%
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)		3	

Vanuatu

Vanuatu Family Health Association

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV			
Percentage of transgender people who are living with HIV			
Percentage of sex workers who are living with HIV	0%	0 / 314 = 0%	
TB mortality rate per 100,000 population			
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB			
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed			
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner			
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner			
Percentage of sex workers reporting the use of a condom with their most recent client	50%	219 / 314 = 70%	120%
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated			
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)			
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services			
Number of men who have sex with men that have received an HIV test during the reporting period and know their results			
Number of transgender people reached with HIV prevention programs - defined package of services			
Number of transgender people that have received an HIV test during the reporting period and know their results			
Number of sex workers reached with HIV prevention programs - defined package of services	319	314	98%
Number of sex workers that have received an HIV test during the reporting period and know their results	303	314	104%
Percentage of people living with HIV currently receiving antiretroviral therapy			
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases			
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases			
Number of TB cases with RR-TB and/or MDR-TB notified			
Number of RR-TB and/or MDR-TB that began second line treatment			
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)			

Vanuatu

Wan Smolbag

Indicators	Targets	Results	Achievement against targets
Impact			
Percentage of men who have sex with men who are living with HIV	0%	0 / 107 = 0%	
Percentage of transgender people who are living with HIV	0%	0 / 191 = 0%	
Percentage of sex workers who are living with HIV			
TB mortality rate per 100,000 population			
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB			
Outcome			
Percentage of people living with HIV and on ART who are virologically suppressed			
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	35%	62 / 148 = 42%	120%
Percentage of transgender people reporting the use of a condom the last time they had sex with a partner	77%	139 / 289 = 48%	62%
Percentage of sex workers reporting the use of a condom with their most recent client			
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated			
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)			
Coverage			
Number of men who have sex with men reached with HIV prevention programs - defined package of services	135	148	110%
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	107	107	100%
Number of transgender people reached with HIV prevention programs - defined package of services	262	289	110%
Number of transgender people that have received an HIV test during the reporting period and know their results	244	191	78%
Number of sex workers reached with HIV prevention programs - defined package of services			
Number of sex workers that have received an HIV test during the reporting period and know their results			
Percentage of people living with HIV currently receiving antiretroviral therapy			
Number of notified cases of all forms of TB (ie bacteriologically confirmed + clinically diagnosed), includes new and relapse cases			
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases			
Number of TB cases with RR-TB and/or MDR-TB notified			
Number of RR-TB and/or MDR-TB that began second line treatment			
Number of TB cases (all forms) notified among key affected populations/ high risk groups (other than prisoners)			



United Nations Development Programme
Pacific Office in Fiji
Level 2, Kadavu House
414 Victoria Parade
Suva, Fiji
Tel: +679 331 2018
Fax: +679 330 1718
Email: registry.fj@undp.org
Website: <http://www.pacific.undp.org/>